



PLANNING ■ DESIGN ■ CONSTRUCTION
800.479.3808 • WWW.RBF.COM

CITY OF SAN JUAN CAPISTRANO
CENTERLINE TIES
TRACT NO. 16221

H: \PDATA\10103097\CADD\MAPPING\TR16221\CL_TIES\COVER-SHT.DWG

THESE CENTERLINE TIE NOTES WERE
PREPARED BY ME OR UNDER MY DIRECTION


GREGORY A. HELMER, L.S. 5134



RECORDING REQUESTED E

Gregory A. Helmer, L.S. 5134

WHEN RECORDED MAIL TO:

RBF Consulting
14725 Alton Parkway
Irvine, CA 92618

Attn: Gregory A. Helmer

SPACE ABOVE THIS LINE FOR RECORDER'S USE

TRACT NO. 16221
CERTIFICATE OF CORRECTION

CITY OF SAN JUAN CAPISTRANO
COUNTY OF ORANGE
STATE OF CALIFORNIA

The following corrections are hereby made to Tract No. 16221 filed in Book 861, Pages 6 through 20 of Miscellaneous Maps, in the Office of the County Recorder of Orange County, California:

On Sheets 4 and 6 (M.M. 861/9 & 11):

Monument Note 1 referring to the centerline intersection of Ganado Road with Rancho Viejo Road is replaced with the following note:

FOUND PK NAIL IN AUGUST 2003, NO REFERENCE. FOUND SPIKE & WASHER STAMPED "CALTRANS" IN JANUARY 2009, NO REFERENCE. (SEE TIE NOTES FOR TRACT NO. 16221 FOR MORE PARTICULARS.)

Monument Note 20 referring to the NE'ly terminus of that course shown as being "N56°15'19"E 164.50' " in the centerline of Ganado Road is replaced with the following note:

FOUND NAIL IN AUGUST 2003, NO REFERENCE. FOUND SPIKE & WASHER STAMPED "CALTRANS" IN JANUARY 2009, NO REFERENCE. HELD AS CENTERLINE POINT OF CONTROL PER TRACT NO. 2706, M.M. 82/16-17. (SEE TIE NOTES FOR TRACT NO. 16221 FOR MORE PARTICULARS.)

TRACT NO. 16221
CERTIFICATE OF CORRECTION

Surveyor's Certificate

I hereby certify that this Certificate of Correction was prepared by me or under my direction in January 2009, and the changes shown hereon are as provided for in Section 66469 of the Subdivision Map Act.




Gregory A. Helmer, L.S. 5134
My License Expires June 30, 2009

City Engineer's Certificate

I hereby certify that I have examined this Certificate of Correction and the only changes made are those set forth in Section 66469 of the Subdivision Map Act.

Dated this 26th Day of February, 2009



Signed 
Print Name Nasser Abbaszadeh
R.C.E. or L.S. No. 39370
Registration Expires 12/31/09

County Surveyor's Certificate

This Certificate of Correction is acceptable for recordation this _____ day of _____, 2009.

Raymond L. Mathe, L.S. 6185
County Surveyor

By: _____
Deputy County Surveyor


Listed below is the present fee owner of real property affected by this correction or addition.

William Lyon Homes, Inc.

CITY OF SAN JUAN CAPISTRANO
CENTERLINE TIES
TRACT NO. 16221

H:\PDATA\10103097\CADD\MAPPING\TR16221\CL_TIES\COVER-SHT.DWG

THESE CENTERLINE TIE NOTES WERE
PREPARED BY ME OR UNDER MY DIRECTION




GREGORY A. HELMER, L.S. 5134



MONUMENT NOTES

- POSITION OF MONUMENT NOTE [1] PER TRACT NO. 16221 AT THE CENTERLINE INTERSECTION OF GANADO ROAD AND RANCHO VIEJO ROAD. FOUND SPIKE & WASHER STAMPED "CALTRANS", NO REFERENCE.
- ⊗ FOUND LEAD, TACK & TAG "CALTRANS", NO REFERENCE.
- SET LEAD, TACK & TAG "LS 5134 TIE".




"TIE" DISTANCE TABLE

"A" TO "B"	48.90'
"A" TO "C"	53.70'
"A" TO "D"	40.17'
"A" TO "E"	37.41'

MONUMENT NOTES

- POSITION OF MONUMENT NOTE [20] PER TRACT NO. 16221 ON THE CENTERLINE POINT OF CURVE OF GANADO ROAD. FOUND SPIKE & WASHER STAMPED "CALTRANS", NO REFERENCE.
- ⊗ FOUND LEAD, TACK & TAG "CALTRANS", NO REFERENCE.




"TIE" DISTANCE TABLE

"A" TO "B"	23.70'
"A" TO "C"	28.17'
"A" TO "D"	31.42'
"A" TO "E"	20.80'



MONUMENT NOTES

- POSITION OF MONUMENT NOTE [20] PER TRACT NO. 16221 ON THE CENTERLINE POINT OF CURVE OF GANADO ROAD AND THE CENTERLINE INTERSECTION OF GANADO ROAD AND GALANO ROAD. FOUND NAIL, NO REFERENCE. SET SPIKE W/BRASS WASHER STAMPED "LS 5134", FLUSH.
- SET LEAD, TACK & TAG "LS 5134 TIE".



"TIE" DISTANCE TABLE

"A" TO "E"	50.22'	"B" TO "D"	32.30'
"A" TO "F"	27.47'	"B" TO "E"	30.79'
"A" TO "G"	33.49'	"B" TO "H"	37.54'
"A" TO "H"	37.76'	"B" TO "I"	35.56'


H: |PDATA\10103097\CADD\MAPPING\TR16221\CL_TIES\EX33.DWG





PLANNING ■ DESIGN ■ CONSTRUCTION
 800.479.3808 • www.RBF.com

H: \PDATA\10103097\CADD\MAPPING\TR16221\CL_TIES\INDEX.DWG




③ = INDICATES PAGE NUMBER



PLANNING ■ DESIGN ■ CONSTRUCTION
 800.479.3808 • www.RBF.com

MONUMENT NOTES

- DENOTES FOUND SPIKE WITH BRASS WASHER STAMPED "L.S. 5134"
- DENOTES SET LEAD, TACK & TAG "LS 5134 TIE"
- ⊗ DENOTES FOUND LEAD, TACK & TAG "LS 5134"



"TIE" DISTANCE TABLE

"A" TO "C"	54.48'	"B" TO "C"	40.28'
"A" TO "D"	58.65'	"B" TO "D"	40.48'
"A" TO "E"	60.25'	"B" TO "E"	52.05'
"A" TO "F"	19.62'	"B" TO "F"	40.98'

H:\PDATA\10103097\CADD\MAPPING\TR16221\CL_TIES\EX01.DWG






PLANNING ■ DESIGN ■ CONSTRUCTION
 800.479.3808 • WWW.RBF.COM

MONUMENT NOTES

- △ DENOTES LOCATION OF SEWER MANHOLE, FOUND TWO 2 FOOT, MAG NAIL WITH ALUMINUM WASHER STAMPED "L.S. 5134 TIE", SWING TIES
- ⊗ DENOTES FOUND LEAD, TACK & TAG "LS 5134"
- DENOTES FOUND SPIKE WITH BRASS WASHER STAMPED "LS 5134"



"TIE" DISTANCE TABLE

"A" TO "D"	57.66'
"A" TO "E"	29.51'
"A" TO "F"	43.93'
"A" TO "G"	35.95'
"B" TO "H"	22.52'
"B" TO "I"	72.70'
"B" TO "J"	58.76'
"B" TO "K"	24.13'
"C" TO "L"	53.15'
"C" TO "M"	26.95'
"C" TO "I"	44.55'
"C" TO "J"	54.35'


H: \PDATA\10103097\CADD\MAPPING\TR16221\CL_TIES\EX02.DWG



PLANNING ■ DESIGN ■ CONSTRUCTION
 800.479.3808 • WWW.RBF.COM

MONUMENT NOTES

- △ DENOTES LOCATION OF SEWER MANHOLE, FOUND TWO 2 FOOT, MAG NAIL WITH ALUMINUM WASHER STAMPED "L.S. 5134 TIE", SWING TIES
- DENOTES FOUND SPIKE WITH BRASS WASHER STAMPED "L.S. 5134"
- ⊕ DENOTES FOUND LEAD, TACK & TAG "LS 5134"
- DENOTES FOUND LEAD, TACK & TAG "LS 5134" IN BRICK
- DENOTES SET LEAD, TACK & TAG "LS 5134 TIE"



"TIE" DISTANCE TABLE

"A" TO "E"	39.08'	"C" TO "E"	21.09'	"E" TO "G"	50.72'
"A" TO "F"	44.96'	"C" TO "F"	21.85'	"E" TO "H"	51.91'
"A" TO "G"	43.24'	"C" TO "G"	70.08'	"E" TO "M"	18.63'
"A" TO "H"	41.24'	"C" TO "H"	64.68'	"E" TO "N"	18.42'
"B" TO "E"	44.59'	"D" TO "I"	16.54'		
"B" TO "F"	41.57'	"D" TO "J"	15.75'		
"B" TO "G"	37.48'	"D" TO "K"	2.63'		
"B" TO "H"	49.15'	"D" TO "L"	2.28'		

H: \PDATA\10103097\CADD\MAPPING\TR16221\CL_TIES\EX03.DWG






PLANNING ■ DESIGN ■ CONSTRUCTION
 800.479.3808 • www.RBF.com

MONUMENT NOTES

- DENOTES FOUND SPIKE WITH BRASS WASHER STAMPED "L.S. 5134"
- DENOTES SET LEAD, TACK & TAG "LS 5134 TIE"
- ⊗ DENOTES FOUND LEAD, TACK & TAG "LS 5134"



"TIE" DISTANCE TABLE

"A" TO "D"	69.56'
"A" TO "E"	48.61'
"A" TO "F"	20.49'
"A" TO "G"	48.73'
"B" TO "D"	18.27'
"B" TO "E"	43.88'
"B" TO "F"	75.57'
"B" TO "H"	24.71'

H:\PDATA\10103097\CADD\MAPPING\TR16221\CL_TIES\EX04.DWG






PLANNING ■ DESIGN ■ CONSTRUCTION
 800.479.3808 • WWW.RBF.COM

MONUMENT NOTES

- DENOTES FOUND SPIKE WITH BRASS WASHER STAMPED "L.S. 5134"
- DENOTES SET LEAD, TACK & TAG "LS 5134 TIE"
- ⊗ DENOTES FOUND LEAD, TACK & TAG "LS 5134"
- △ DENOTES LOCATION OF SEWER MANHOLE, FOUND TWO 2 FOOT, MAG NAIL WITH ALUMINUM WASHER STAMPED "L.S. 5134 TIE", SWING TIES



"TIE" DISTANCE TABLE


"A" TO "D"	41.04'
"A" TO "E"	76.10'
"A" TO "F"	20.46'
"A" TO "G"	60.91'
"B" TO "C"	23.68'
"B" TO "F"	64.26'
"B" TO "G"	19.13'
"B" TO "H"	67.59'



PLANNING ■ DESIGN ■ CONSTRUCTION
 800.479.3808 • WWW.RBF.COM

MONUMENT NOTES

- DENOTES FOUND SPIKE WITH BRASS WASHER STAMPED "L.S. 5134"
- DENOTES SET LEAD, TACK & TAG "LS 5134 TIE"
- ⊗ DENOTES FOUND LEAD, TACK & TAG "LS 5134"



"TIE" DISTANCE TABLE

"A" TO "C"	22.44'
"A" TO "D"	73.50'
"A" TO "G"	47.12'
"A" TO "H"	24.79'
"B" TO "D"	31.92'
"B" TO "E"	18.68'
"B" TO "F"	37.34'
"B" TO "G"	56.82'


H: \PDATA\10103097\CADD\MAPPING\TR16221\CL_TIES\EX06.DWG



PLANNING ■ DESIGN ■ CONSTRUCTION
 800.479.3808 • www.RBF.COM

MONUMENT NOTES

- DENOTES FOUND SPIKE WITH BRASS WASHER STAMPED "L.S. 5134"
- DENOTES SET LEAD, TACK & TAG "LS 5134" TIE
- ⊗ DENOTES FOUND LEAD, TACK & TAG "LS 5134"



"TIE" DISTANCE TABLE

"A" TO "B"	27.06'
"A" TO "C"	18.71'
"A" TO "D"	27.47'
"A" TO "E"	69.08'


H:\PDATA\10103097\CADD\MAPPING\TR16221\CL_TIES\EX07.DWG



PLANNING ■ DESIGN ■ CONSTRUCTION
 800.479.3808 • WWW.RBF.COM

MONUMENT NOTES

- DENOTES FOUND SPIKE WITH BRASS WASHER STAMPED "L.S. 5134"
- DENOTES SET LEAD, TACK & TAG "LS 5134 TIE"
- ⊗ DENOTES FOUND LEAD, TACK & TAG "LS 5134"



"TIE" DISTANCE TABLE

"A" TO "C"	23.70'	"B" TO "D"	35.95'
"A" TO "D"	30.06'	"B" TO "E"	24.79'
"A" TO "H"	52.71'	"B" TO "F"	25.38'
"A" TO "I"	35.73'	"B" TO "G"	54.83'


H: \PDATA\10103097\CADD\MAPPING\TR16221\CL_TIES\EX08.DWG



PLANNING ■ DESIGN ■ CONSTRUCTION
 800.479.3808 • www.RBF.com

MONUMENT NOTES

- △ DENOTES LOCATION OF SEWER MANHOLE, FOUND TWO 2 FOOT, MAG NAIL WITH ALUMINUM WASHER STAMPED "L.S. 5134 TIE", SWING TIES
- DENOTES FOUND SPIKE WITH BRASS WASHER STAMPED "L.S. 5134"
- DENOTES SET LEAD, TACK & TAG "LS 5134 TIE"
- ⊗ DENOTES FOUND LEAD, TACK & TAG "LS 5134"



"TIE" DISTANCE TABLE

"A" TO "C"	46.45'	"B" TO "E"	21.36'
"A" TO "D"	22.70'	"B" TO "F"	49.76'
"A" TO "I"	23.31'	"B" TO "G"	22.23'
"A" TO "J"	23.05'	"B" TO "H"	24.23'

H: \PDATA\10103097\CADD\MAPPING\TR16221\CL_TIES\EX09.DWG






PLANNING ■ DESIGN ■ CONSTRUCTION
 800.479.3808 • www.RBF.com

MONUMENT NOTES

- DENOTES FOUND SPIKE WITH BRASS WASHER STAMPED "L.S. 5134"
- DENOTES SET LEAD, TACK & TAG "LS 5134 TIE"
- ⊗ DENOTES FOUND LEAD, TACK & TAG "LS 5134"



"TIE" DISTANCE TABLE

"A" TO "D"	30.30'	"B" TO "E"	68.51'	"C" TO "E"	68.52'
"A" TO "E"	55.02'	"B" TO "F"	34.85'	"C" TO "F"	35.58'
"A" TO "H"	30.20'	"B" TO "G"	65.14'	"C" TO "G"	65.39'
"A" TO "I"	15.87'	"B" TO "H"	29.87'	"C" TO "H"	29.07'




H:\PDATA\10103097\CADD\MAPPING\TR16221\CL_TIES\EX10.DWG



PLANNING ■ DESIGN ■ CONSTRUCTION
 800.479.3808 • www.RBF.com

MONUMENT NOTES

- △ DENOTES LOCATION OF SEWER MANHOLE, FOUND TWO 2 FOOT, MAG NAIL WITH ALUMINUM WASHER STAMPED "L.S. 5134 TIE", SWING TIES
- DENOTES FOUND SPIKE WITH BRASS WASHER STAMPED "L.S. 5134"
- DENOTES SET LEAD, TACK & TAG "LS 5134 TIE"
- ⊗ DENOTES FOUND LEAD, TACK & TAG "LS 5134"



"TIE" DISTANCE TABLE

"A" TO "D"	52.55'	"B" TO "D"	57.93'	"C" TO "F"	47.51'
"A" TO "E"	42.21'	"B" TO "E"	36.98'	"C" TO "G"	29.35'
"A" TO "F"	44.77'	"B" TO "F"	43.53'	"C" TO "H"	28.82'
"A" TO "I"	46.52'	"B" TO "I"	48.82'	"C" TO "I"	45.78'

H:\PDATA\10103097\CADD\MAPPING\TR16221\CL_TIES\EX11.DWG






PLANNING ■ DESIGN ■ CONSTRUCTION
 800.479.3808 • www.RBF.COM

MONUMENT NOTES

- △ DENOTES LOCATION OF SEWER MANHOLE, FOUND TWO 2 FOOT, MAG NAIL WITH ALUMINUM WASHER STAMPED "L.S. 5134 TIE", SWING TIES
- DENOTES FOUND SPIKE WITH BRASS WASHER STAMPED "LS 5134"
- DENOTES SET LEAD, TACK & TAG "LS 5134 TIE"
- ⊗ DENOTES FOUND LEAD, TACK & TAG "LS 5134"



"TIE" DISTANCE TABLE

"A" TO "D"	77.53'	"B" TO "G"	64.26'	"C" TO "G"	50.48'
"A" TO "E"	42.08'	"B" TO "H"	64.27'	"C" TO "H"	40.23'
"A" TO "F"	41.65'	"B" TO "I"	25.00'	"C" TO "I"	41.00'
"A" TO "K"	84.54'	"B" TO "J"	23.93'	"C" TO "J"	44.85'

H:\PDATA\10103097\CADD\MAPPING\TR16221\CL_TIES\EX12.DWG






PLANNING ■ DESIGN ■ CONSTRUCTION
 800.479.3808 • www.RBF.COM

MONUMENT NOTES

- DENOTES FOUND SPIKE WITH BRASS WASHER STAMPED "LS 5134"
- DENOTES SET LEAD, TACK & TAG "LS 5134 TIE"
- ⊗ DENOTES FOUND LEAD, TACK & TAG "LS 5134"



"TIE" DISTANCE TABLE

"A" TO "B"	16.41'
"A" TO "C"	90.17'
"A" TO "D"	76.99'
"A" TO "E"	22.99'

H: \PDATA\10103097\CADD\MAPPING\TR16221\CL_TIES\EX13.DWG






PLANNING ■ DESIGN ■ CONSTRUCTION
 800.479.3808 • WWW.RBF.COM

MONUMENT NOTES

- DENOTES FOUND SPIKE WITH BRASS WASHER STAMPED "LS 5134"
- DENOTES SET LEAD, TACK & TAG "LS 5134 TIE"
- ⊗ DENOTES FOUND LEAD, TACK & TAG "LS 5134"



"TIE" DISTANCE TABLE

"A" TO "B"	25.37'
"A" TO "C"	49.64'
"A" TO "D"	65.76'
"A" TO "E"	25.62'






PLANNING ■ DESIGN ■ CONSTRUCTION
 800.479.3808 • www.RBF.com

MONUMENT NOTES

- △ DENOTES LOCATION OF SEWER MANHOLE, FOUND TWO 2 FOOT, MAG NAIL WITH ALUMINUM WASHER STAMPED "LS 5134 TIE", SWING TIES
- DENOTES SET LEAD, TACK & TAG "LS 5134 TIE"
- ⊗ DENOTES FOUND LEAD, TACK & TAG "LS 5134"



"TIE" DISTANCE TABLE

"A" TO "B"	30.34'
"A" TO "C"	59.44'
"A" TO "D"	56.39'
"A" TO "E"	24.81'




H: \PDATA\10103097\CADD\MAPPING\TR16221\CL_TIES\EX15.DWG



PLANNING ■ DESIGN ■ CONSTRUCTION
 800.479.3808 • www.RBF.com

MONUMENT NOTES

- DENOTES FOUND SPIKE WITH BRASS WASHER STAMPED "LS 5134"
- DENOTES SET LEAD, TACK & TAG "LS 5134 TIE"
- ⊗ DENOTES FOUND LEAD, TACK & TAG "LS 5134"
- DENOTES FOUND 1" IRON PIPE TAGGED "LS 5134", FLUSH



"TIE" DISTANCE TABLE

"A" TO "C"	29.06'	"B" TO "D"	61.72'
"A" TO "D"	37.83'	"B" TO "E"	23.98'
"A" TO "G"	45.09'	"B" TO "F"	33.16'
"A" TO "H"	34.01'	"B" TO "G"	51.77'

H: \PDATA\10103097\CADD\MAPPING\TR16221\CL_TIES\EX16.DWG






PLANNING ■ DESIGN ■ CONSTRUCTION
 800.479.3808 • WWW.RBF.COM

MONUMENT NOTES

- DENOTES FOUND SPIKE WITH BRASS WASHER STAMPED "LS 5134"
- DENOTES SET LEAD, TACK & TAG "LS 5134 TIE"
- ⊗ DENOTES FOUND LEAD, TACK & TAG "LS 5134"



"TIE" DISTANCE TABLE

"A" TO "C"	36.95'	"B" TO "E"	23.60'
"A" TO "D"	40.44'	"B" TO "F"	74.52'
"A" TO "I"	41.91'	"B" TO "G"	60.28'
"A" TO "J"	45.95'	"B" TO "H"	20.64'


H:\PDATA\10103097\CADD\MAPPING\TR16221\CL_TIES\EX17.DWG



PLANNING ■ DESIGN ■ CONSTRUCTION
 800.479.3808 • www.RBF.COM

MONUMENT NOTES

- △ DENOTES LOCATION OF SEWER MANHOLE, FOUND TWO 2 FOOT, MAG NAIL WITH ALUMINUM WASHER STAMPED "L.S. 5134 TIE", SWING TIES
- ⊗ DENOTES FOUND LEAD, TACK & TAG "LS 5134"



"TIE" DISTANCE TABLE

"A" TO "B"	60.38'
"A" TO "C"	30.09'
"A" TO "D"	60.75'
"A" TO "E"	21.82'




H: \PDATA\10103097\CADD\MAPPING\TR16221\CL_TIES\EX18.DWG



PLANNING ■ DESIGN ■ CONSTRUCTION
 800.479.3808 • www.RBF.COM

MONUMENT NOTES

- DENOTES FOUND SPIKE WITH BRASS WASHER STAMPED "LS 5134"
- ⊗ DENOTES FOUND LEAD, TACK & TAG "LS 5134"



"TIE" DISTANCE TABLE

"A" TO "C"	40.28'	"B" TO "C"	62.28'
"A" TO "D"	40.22'	"B" TO "D"	56.48'
"A" TO "E"	40.29'	"B" TO "E"	27.24'
"A" TO "F"	53.28'	"B" TO "F"	39.37'


H: \PDATA\10103097\CADD\MAPPING\TR16221\CL_TIES\EX19.DWG



PLANNING ■ DESIGN ■ CONSTRUCTION
 800.479.3808 • www.RBF.COM

MONUMENT NOTES

- DENOTES FOUND SPIKE WITH BRASS WASHER STAMPED "LS 5134"
- DENOTES SET LEAD, TACK & TAG "LS 5134 TIE"
- ⊗ DENOTES FOUND LEAD, TACK & TAG "LS 5134"



"TIE" DISTANCE TABLE

"A" TO "C"	40.26'	"B" TO "C"	59.69'
"A" TO "D"	40.50'	"B" TO "D"	31.63'
"A" TO "E"	47.03'	"B" TO "E"	62.34'
"A" TO "F"	40.42'	"B" TO "F"	64.97'

H: \PDATA\10103097\CADD\MAPPING\TR16221\CL_TIES\EX20.DWG






PLANNING ■ DESIGN ■ CONSTRUCTION
 800.479.3808 • www.RBF.COM

MONUMENT NOTES

- DENOTES FOUND SPIKE WITH BRASS WASHER STAMPED "LS 5134"
- DENOTES SET LEAD, TACK & TAG "LS 5134 TIE"
- ⊗ DENOTES FOUND LEAD, TACK & TAG "LS 5134"



"TIE" DISTANCE TABLE

"A" TO "D"	54.64'	"B" TO "C"	22.53'
"A" TO "C"	41.86'	"B" TO "D"	18.56'
"A" TO "G"	62.87'	"B" TO "E"	28.46'
"A" TO "F"	35.25'	"B" TO "F"	18.70'




H: \PDATA\10103097\CADD\MAPPING\TR16221\CL_TIES\EX21.DWG



PLANNING ■ DESIGN ■ CONSTRUCTION
 800.479.3808 • www.RBF.com

MONUMENT NOTES

- △ DENOTES LOCATION OF SEWER MANHOLE, FOUND TWO 2 FOOT, MAG NAIL WITH ALUMINUM WASHER STAMPED "L.S. 5134 TIE", SWING TIES
- DENOTES FOUND SPIKE WITH BRASS WASHER STAMPED "LS 5134"
- DENOTES SET LEAD, TACK & TAG "LS 5134 TIE"
- ⊗ DENOTES FOUND LEAD, TACK & TAG "LS 5134"



"TIE" DISTANCE TABLE

"A" TO "C"	69.04'	"B" TO "E"	27.55'
"A" TO "D"	18.59'	"B" TO "F"	24.26'
"A" TO "H"	39.27'	"B" TO "G"	21.75'
"A" TO "I"	38.82'	"B" TO "H"	70.97'

H: \PDATA\10103097\CADD\MAPPING\TR16221\CL_TIES\EX22.DWG






PLANNING ■ DESIGN ■ CONSTRUCTION
 800.479.3808 • WWW.RBF.COM

MONUMENT NOTES

- △ DENOTES LOCATION OF SEWER MANHOLE, FOUND TWO 2 FOOT, MAG NAIL WITH ALUMINUM WASHER STAMPED "L.S. 5134 TIE", SWING TIES
- DENOTES FOUND SPIKE WITH BRASS WASHER STAMPED "LS 5134"
- ⊗ DENOTES FOUND LEAD, TACK & TAG "LS 5134"



"TIE" DISTANCE TABLE

"A" TO "C"	20.47'	"B" TO "D"	50.18'
"A" TO "D"	56.88'	"B" TO "E"	51.66'
"A" TO "G"	57.11'	"B" TO "F"	21.12'
"A" TO "H"	27.89'	"B" TO "G"	55.89'

H: \PDATA\10103097\CADD\MAPPING\TR16221\CL_TIES\EX23.DWG






PLANNING ■ DESIGN ■ CONSTRUCTION
 800.479.3808 • www.RBF.COM

MONUMENT NOTES

- △ DENOTES LOCATION OF SEWER MANHOLE, FOUND TWO 2 FOOT, MAG NAIL WITH ALUMINUM WASHER STAMPED "L.S. 5134 TIE", SWING TIES
- ⊗ DENOTES FOUND LEAD, TACK & TAG "LS 5134"
- DENOTES FOUND 1" IRON PIPE TAGGED "L.S. 5134"



"TIE" DISTANCE TABLE

"A" TO "C"	70.81'	"B" TO "C"	73.08'
"A" TO "D"	33.79'	"B" TO "D"	35.72'
"A" TO "E"	44.80'	"B" TO "E"	42.72'
"A" TO "F"	20.97'	"B" TO "F"	19.93'

H:\PDATA\10103097\CADD\MAPPING\TR16221\CL_TIES\EX24.DWG






PLANNING ■ DESIGN ■ CONSTRUCTION
 800.479.3808 • www.RBF.com

MONUMENT NOTES

- △ DENOTES LOCATION OF SEWER MANHOLE, FOUND TWO 2 FOOT, MAG NAIL WITH ALUMINUM WASHER STAMPED "L.S. 5134 TIE", SWING TIES
- DENOTES FOUND SPIKE WITH BRASS WASHER STAMPED "LS 5134"
- DENOTES SET LEAD, TACK & TAG "LS 5134 TIE"
- ⊗ DENOTES FOUND LEAD, TACK & TAG "LS 5134"



"TIE" DISTANCE TABLE

"A" TO "C"	33.42'	"B" TO "G"	34.83'
"A" TO "D"	21.50'	"B" TO "H"	66.62'
"A" TO "E"	22.33'	"B" TO "I"	40.24'
"A" TO "F"	33.86'	"B" TO "J"	36.03'

H: \PDATA\10103097\CADD\MAPPING\TR16221\CL_TIES\EX25.DWG






PLANNING ■ DESIGN ■ CONSTRUCTION
 800.479.3808 • WWW.RBF.COM

MONUMENT NOTES

- △ DENOTES LOCATION OF SEWER MANHOLE, FOUND TWO 2 FOOT, MAG NAIL WITH ALUMINUM WASHER STAMPED "L.S. 5134 TIE", SWING TIES
- DENOTES SET LEAD, TACK & TAG "LS 5134 TIE"
- ⊗ DENOTES FOUND LEAD, TACK & TAG "LS 5134"



"TIE" DISTANCE TABLE

"A" TO "C"	26.68'	"B" TO "E"	19.68'
"A" TO "D"	68.62'	"B" TO "F"	63.50'
"A" TO "I"	42.80'	"B" TO "G"	66.38'
"A" TO "J"	34.10'	"B" TO "H"	23.71'


H: \PDATA\10103097\CADD\MAPPING\TR16221\CL_TIES\EX26.DWG



PLANNING ■ DESIGN ■ CONSTRUCTION
 800.479.3808 • www.RBF.COM

MONUMENT NOTES

- DENOTES FOUND SPIKE WITH BRASS WASHER STAMPED "LS 5134"
- DENOTES SET LEAD, TACK & TAG "LS 5134 TIE"
- ⊗ DENOTES FOUND LEAD, TACK & TAG "LS 5134"



"TIE" DISTANCE TABLE

"A" TO "C"	60.15'	"B" TO "C"	64.32'
"A" TO "D"	40.54'	"B" TO "D"	62.05'
"A" TO "E"	40.24'	"B" TO "E"	47.10'
"A" TO "F"	50.95'	"B" TO "F"	34.86'

H: \PDATA\10103097\CADD\MAPPING\TR16221\CL_TIES\EX27.DWG

